

Dear Parent/Guardian:

We are excited to have your child participate in After School Enrichment! Attached you will find a health packet that must be completed in order to participate in any of our activities that involve physical activity (Dance Team, Camden Prep Steppers, Basketball, etc.). The student athlete and his/her parent must thoroughly read the provided literature and legibly sign where it is required. Additionally, a physical examination must be completed by a licensed physician.

This health packet will be active for this school year and is required annually for participation.

Only complete packets will be accepted:

- c Emergency form
- c Sudden Cardiac Death (acknowledgment of included pamphlet)
- c Concussion Sign off
- c Physical Examination Form (final 2 pages must be completed by a physician)



State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District: <u>Uncommon Schools Camden Prep</u>

Name of Local School: <u>Uncommon Schools Camden Prep</u>

I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.

| Student Signature: | Parent or Guardian Signature: | _ |
|--------------------|-------------------------------|---|
| Date: | | |
| | | |

New Jersey Department of Education 2014: pursuant to the Scholastic Student-Athlete Safety Act, P.L. 2013, c71

E14-00395

Website Resources

- www.cardiachealth.org/sudden-death-in- Sudden Death in Athletes athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics New Jersey Chapter 3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619

(p) 609-842-0014 (f) 609-842-0015 www.aapnj.org

American Heart Association 1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org New Jersey Department of Education Trenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500

www.state.nj.us/education/

New Jersey Department of Health

Irenton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837 P. O. Box 360

Written by: Initial draft by Sushma Raman Hebbar, Additional Reviewers: NJ Department of Education, Lead Author: American Academy of Pediatrics, MD & Stephen G. Rice, MD PhD New Jersey Chapter

NJ Department of Health and Senior Services, American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, New Jersey State School Nurses

Revised 2014: Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM: Stephen G. Rice, MD, Jeffrey Rosenberg, MD, Louis Teichholz, MD, Perry Weinstock, MD

ATHLETES CARDIAC SUDDEN YOUNG DEATH

Sudden Cardiac Death The Basic Facts on in Young Athletes



Learn and Live American Heart Association

udden death in young athletes

between the ages of 10

What is sudden cardiac death

in the young athlete?

done to prevent this kind of

tragedy?

What, if anything, can be and 19 is very rare.

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the result of an unexpected failure of proper pumping adequately, the athlete quickly is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young athletes?

Sudden cardiac death in young athletes is The chance of sudden death occurring reported in the United States per year. to any individual high school athlete is very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more



Research suggests that the main cause is a What are the most common causes?

ventricular fibrillation (ven-TRICK-you-lar fib roo-LAY-shun). The problem is usually cause by one of several cardiovascular abnormaliti and electrical diseases of the heart that go loss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. heart to quiver instead of pumping

The most common cause of sudden death is also called HCM. HCM is a disease of the hea muscle, which can cause serious heart rhyth problems and blockages to blood flow. This an athlete is hypertrophic cardiomyopathy (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually with abnormal thickening of the heart develops gradually over many years.

(commonly called "coronary arte arteries. This means that the blood vessels are connected heart in an abnormal way. This differs from blockages that may disease," which may lead to a hea The second most likely cause is congenital the main blood vessel of the occur when people get older abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth) attack).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Other diseases of the heart that can lead to sudden death in young people include:

- inflammation of the heart muscle (usually Myocarditis (my-oh-car-DIE-tis), an acute due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- abnormal fast heart rhythms that can also Long QT syndrome and other electrical abnormalities of the heart which cause run in families.
 - Marfan syndrome, an inherited disorder generally seen in unusually tall athletes, especially if being tall is not common in that affects heart valves, walls of major arteries, eyes and the skeleton. It is other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- excitement, emotional distress or being Fainting or a seizure from emotional startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;

extra beats) during athletics or during coo down periods after athletic participation; beating unusually (skipping, irregular or Palpitations - awareness of the heart

 Fatigue or tiring more quickly than peers; 0 Being unable to keep up with friends due to shortness of breath.

What are the current recommendations for screening young athletes

("medical home") or school physician at least New Jersey requires all school athletes to be once per year. The New Jersey Department examined by their primary care physician Annual Athletic Pre-Participation Physical of Education requires use of the specific Examination Form.

electrocardiogram (ECG), which is a graph of echocardiogram, which is an ultrasound test

the electrical activity of the heart. An

recommended. This specialist will perform

student-athletes answering questions about shortness of breath); and questions about This process begins with the parents and symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or family health history.

specialist may also order a treadmill exercise

recording of the heart rhythm. None of the

testing is invasive or uncomfortable.

test and a monitor to enable a longer

to allow for direct visualization of the heart

structure, will likely also be done. The

because it is so essential to identify those at during physical activity or during a seizure. drowning or car accidents. This information know if any family member died suddenly The primary healthcare provider needs to must be provided annually for each exam They also need to know if anyone in the unexplained sudden death such as family under the age of 50 had an risk for sudden cardiac death.

review of the family health history need to athlete's primary healthcare provider. With This is why screening evaluations and a proper screening and evaluation, most cases can be identified and prevented. be performed on a yearly basis by the

abnormalities. If there are no warning signs

abnormalities discovered on exam, no reported on the health history and no

further evaluation or testing is

recommended.

careful listening examination of the heart,

especially for murmurs and rhythm

measurement of blood pressure and a

The required physical exam includes

Why have an AED on site during sportin events?

normal rhythm. An AED is also life-saving for The only effective treatment for ventricular automated external defibrillator (AED). An ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis) AED can restore the heart back into a fibrillation is immediate use of an

If the primary healthcare provider or school

When should a student athlete see a

heart specialist?

physician has concerns, a referral to a child

heart specialist, a pediatric cardiologist, is a more thorough evaluation, including an

Effective September 1, 2014, the New Jersey Department of Education requires that all public and nonpublic schools grades K through 12 shall:

- event (three minutes total time to reach Have an AED available at every sports and return with the AED);
- Have adequate personnel who are trained in AED use present at practices and games;
- Have coaches and athletic trainers trained in basic life support techniques (CPR); and

not all, conditions that would cause sudden

Can sudden cardiac death be prevented just through proper screening? A proper evaluation should find most, but death in the athlete. This is because some diseases are difficult to uncover and may evaluation, such as an infection of the heart

muscle from a virus.

develop following a normal screening

only develop later in life. Others can

 Call 911 immediately while someone is retrieving the AED.

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
 annually this educational fact to all student athletes and obtain a signed acknowledgement from each
 parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the
 prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic
 student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- Report it. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is
 healing you are much more likely to sustain a second concussion. Repeat concussions can cause
 permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching
 movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete
 assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching
 practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms,
 next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the
 intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased
 heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective
 of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

| or further information on Sports-Related C www.cdc.gov/concussion/sports/inc www.ncaa.org/health-safety | concussions and other Head dex.html www.bianj.org | Injuries, please visit: www.nfhs.com www.atsnj.org | |
|---|---|--|------|
| Signature of Student-Athlete | Print Student-At | hlete's Name | Date |
| Signature of Parent/Guardian | Print Parent/Gua | rdian's Name | Date |



= 1 KELWEINILWILDIA I UISIONE EAVERMINIA

HISTORY FORM

| Name | | | Date of birth | | |
|--|-----------|-----------|--|--|--|
| Sex Age Grade S | chool _ | | Sport(s) | 3.2700 | |
| Medicines and Allergies: Please list all of the prescription and or | er-the- | counter | medicines and supplements (herbal and nutritional) that you are current | ly taking | - |
| Do you have any allergies? Yes No If yes, please in | lentify s | necific : | allermy below | | |
| ☐ Medicines ☐ Pollens Explain "Yes" answers below. Circle questions you don't know the circle questions. | | | ☐ Food ☐ Stinging Insects | | |
| GENERAL QUESTIONS | 1 | 1 | | - No. of the least | and the same |
| Has a doctor ever denied or restricted your participation in sports for | Yes | No | MEDICAL QUESTIONS | Yes | 1 |
| any reason? | | | 26. Do you cough, wheeze, or have difficulty breathing during or after exercise? | | |
| 2. Do you have any ongoing medical conditions? If so, please identify | | 1 | 27. Have you ever used an inhaler or taken asthma medicine? | | - |
| below: ☐ Asthma ☐ Anemia ☐ Diabetes ☐ Infections Other: | | | 28. Is there anyone in your family who has asthma? | + | + |
| Have you ever spent the night in the hospital? | - | - | 29. Were you born without or are you missing a kidney, an eye, a testicle | | 1 |
| Have you ever had surgery? | + | + | (maies), your spieen, or any other organ? | | |
| HEART HEALTH QUESTIONS ABOUT YOU | Yes | No | 30. Do you have groin pain or a painful bulge or hernia in the groin area? | | _ |
| 5. Have you ever passed out or nearly passed out DURING or | 100 | 1.00 | Have you had infectious mononucleosis (mono) within the last month? Do you have any rashes, pressure sores, or other skin problems? | - | _ |
| AFTER exercise? | | | 33. Have you had a herpes or MRSA skin infection? | | |
| 6. Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise? | 1 | | 34. Have you ever had a head injury or concussion? | | - |
| 7. Does your heart ever race or skip beats (irregular beats) during exercise? | | | 35. Have you ever had a hit or blow to the head that caused confusion. | | |
| 8. Has a doctor ever told you that you have any heart problems? If so, | + | 1 | prolonged headache, or memory problems? | | - |
| check all that apply: | | | 36. Do you have a history of seizure disorder? | | |
| High blood pressure | | | 37. Do you have headaches with exercise? | | |
| 9. Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, | _ | | Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling? Have you ever been unable to move your arms or legs after being hit | | |
| ecriocardiogram) | | | or falling? | | |
| Do you get lightheaded or feel more short of breath than expected during exercise? | | | 40. Have you ever become ill while exercising in the heat? | | No. of Street, or other Persons and Street, o |
| Have you ever had an unexplained seizure? | | | 41. Do you get frequent muscle cramps when exercising? | | 2000 |
| 2. Do you get more tired or short of breath more quickly than your friends | - | | 42. Do you or someone in your family have sickle cell trait or disease? | | |
| during exercise? | | | 43. Have you had any problems with your eyes or vision? 44. Have you had any eye injuries? | | |
| HEART HEALTH QUESTIONS ABOUT YOUR FAMILY | Yes | No | 45. Do you wear glasses or contact lenses? | | - |
| Has any family member or relative died of heart problems or had an unexpected or unexplained sudden death before age 50 (including | | | 46. Do you wear protective eyewear, such as goggles or a face shield? | | |
| drowning, unexplained car accident, or sudden infant death syndromet? | | | 47. Do you worry about your weight? | | - |
| Does anyone in your family have hypertrophic cardiomyopathy, Marfan syndrome, arrhythmogenic right ventricular cardiomyopathy, long QT syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic | | | 48. Are you trying to or has anyone recommended that you gain or lose weight? | | |
| polymorphic ventricular tachycardia? | | | 49. Are you on a special diet or do you avoid certain types of foods? | | _ |
| 5. Does anyone in your family have a heart problem, pacemaker, or | | | 50. Have you ever had an eating disorder? | | - 11 |
| implanted defibriliator? 6. Has anyone in your family had unexplained fainting, unexplained | | | 51. Do you have any concerns that you would like to discuss with a doctor? | | |
| seizures, or near drowning? | | | FEMALES ONLY 52. Have you ever had a menstrual period? | | |
| ONE AND JOINT QUESTIONS | Yes | No | | | |
| 7. Have you ever had an injury to a bone, muscle, ligament, or tendon that caused you to miss a practice or a game? | | | How old were you when you had your first menstrual period? How many periods have you had in the last 12 months? | | - |
| 3. Have you ever had any broken or fractured bones or dislocated joints? | | | Explain "yes" answers here | | |
| Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches? | | | | | _ |
|). Have you ever had a stress fracture? | | | | | |
| . Have you ever been told that you have or have you had an x-ray for neck instability or atlantoaxial instability? (Down syndrome or dwarfism) | | | | | |
| 2. Do you regularly use a brace, orthotics, or other assistive device? | | | | Shaker Hard | - |
| B. Do you have a bone, muscle, or joint injury that bothers you? | | | | | |
| Do any of your joints become painful, swollen, feel warm, or look red? | | | | | |
| 5. Do you have any history of juvenile arthritis or connective tissue disease? | | | | | - |
| ereby state that, to the best of my knowledge, my answers to t | he ahou | m mine | Hono our annual to the state of | | |

Society for Sports Medicine, and American Osteopathic Academy of Pediatrics, American College of Sports Medicine, American Medicine, American Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71



PREPARTICIPATION PHYSICAL EVALUATION THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

| Sex | Age | Grade | School | Date of birth Sport(s) | |
|--|--|----------------------------------|--|------------------------|----|
| 1 Tune | of disability | | | Sport(s) | |
| | of disability | | | | |
| | sification (if available) | | | | |
| | | | | | |
| 5 Liett | be coosts you are inte | ease, accident/trauma, other) | | | |
| O. LIST I | he sports you are interes | sted in playing | | | |
| 6. Do yo | ou regularly use a brace, | assistive device, or prosthetic | c? | Yes | No |
| 7. Do yo | ou use any special brace | or assistive device for sports | ? | | |
| 8. Do yo | u have any rashes, pres | sure sores, or any other skin | problems? | | |
| 9. Do yo | u have a hearing loss? [| Do you use a hearing aid? | | | |
| 10. Do yo | u have a visual impairm | ent? | | | |
| 11. Do yo | u use any special device | es for bowel or bladder function | on? | | |
| 2. Do yo | u have burning or discor | mfort when urinating? | | | |
| 3. Have | you had autonomic dysn | eflexia? | | | |
| 4. Have | you ever been diagnosed | d with a heat-related (hyperth | nermia) or coid-related (hypothermia) illness? | | |
| J. Du yo | u nave muscle spasticity | 1? | | | |
| 16. Do you | u have frequent seizures | that cannot be controlled by | medication? | | |
| plain "ye | es" answers here | | | | |
| esce indi- | | | | | |
| onas mon | cate if you have ever h | ad any of the following. | 2000 | | |
| | | ad any of the following. | | Yes | No |
| tlantoaxia | I instability | | | Yes | No |
| tlantoaxia -ray evalu | I instability ation for atlantoaxial ins | | | Yes | No |
| tlantoaxia -ray evalu islocated | I instability ation for atlantoaxial ins joints (more than one) | | | Yes | No |
| tiantoaxia -ray evalu islocated asy bleedi | I instability ation for atlantoaxial ins joints (more than one) ng | | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp | I instability ation for atlantoaxial ins joints (more than one) ng | | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis | I instability ation for atlantoaxial ins joints (more than one) ng | | | Yes | No |
| tiantoaxia -ray evalu hislocated asy bleedi nlarged sp epatitis steopenia | I instability ation for atlantoaxial ins joints (more than one) ng | | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co | I instability ation for atlantoaxial ins joints (more than one) ng pleen or osteoporosis introlling bowel introlling bladder | stability | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har | nds | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co umbness o umbness o umbness o | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet | nds | | Yes | No |
| tlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co umbness o umbness o eakness ir | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands | nds | | Yes | No |
| atlantoaxia -ray evalui islocated asy bleedi nlarged spepatitis election of the control ifficulty coumbness of the coupbness of the coup | I instability ation for atlantoaxial ins joints (more than one) ing poleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| tlantoaxia -ray evaluislocated asy bleedi nlarged spepatitis epatitis ifficulty countries of umbness of eakness in eakness in | I instability ation for atlantoaxial ins joints (more than one) ing pleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| atlantoaxia -ray evaluislocated asy bleedi nlarged sp epatitis steopenia ifficulty co umbness of eakness in eakness in eakness in | I instability ation for atlantoaxial ins joints (more than one) ing poleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| atlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co umbness o umbness o eakness ir eakness ir eakness ir ecent chara ina bifida | I instability ation for atlantoaxial ins joints (more than one) ing or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| atlantoaxia -ray evalu islocated asy bleedi nlarged sp epatitis steopenia ifficulty co umbness o umbness o eakness ir eakness ir eakness ir ecent chara ina bifida | I instability ation for atlantoaxial ins joints (more than one) ing or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| atlantoaxia -ray evalu islocated asy bleedi asy bleedi asy bleedi asy bleedi islocated gasy bleedi islocated g | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| tlantoaxia ray evaluislocated asy bleedi hlarged spepatitis steopenia fficulty co ambness of pakness in eakness in cent chan- ina bifida tex allergy | I instability ation for atlantoaxial ins joints (more than one) ing or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet | nds | | Yes | No |
| tlantoaxia ray evaluislocated asy bleedi hlarged spepatitis steopenia fficulty co ambness of pakness in eakness in cent chan- ina bifida tex allergy | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| tiantoaxia -ray evalui islocated a asy bleedin harged spepatitis steopenia ifficulty co umbness of eakness in eakness in cent chan- cent chan- kina bifida tex allergy | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| atlantoaxia -ray evalu islocated asy bleedi asy bleedi asy bleedi asy bleedi islocated gasy bleedi islocated g | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| Atlantoaxia (-ray evalua) (-ray evalua) (-ra | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| Atlantoaxia (-ray evalua) (-ray evalua) (-ra | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination ige in ability to walk | nds | | Yes | No |
| tiantoaxia ray evalu islocated assy bleedi hlarged spepatitis steopenia fficulty co umbness o umbness o umbness o eakness ir eaakness ir cent char ine bifida tex ailergy | I instability attor for atlantoaxial ins joints (more than one) ing pleen or osteoporosis introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands it legs or feet ige in coordination ige in ability to walk if if answers here | nds | O the above questions are smaller and the shows are smaller and the sh | | No |
| tiantoaxia ray evalu islocated assy bleedi hlarged spepatitis steopenia fficulty co umbness o umbness o umbness o eakness ir eaakness ir cent char ine bifida tex ailergy | I instability ation for atlantoaxial ins joints (more than one) ing oleen or osteoporosis introlling bowel introlling bowel introlling bladder or tingling in arms or har or tingling in legs or feet in arms or hands in legs or feet inge in coordination inge in ability to walk if "answers here | nds | o the above questions are complete and correct | | No |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71



PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

| PHYSICIAN REMINDERS 1. Consider additional questions on more sensitive issues • Do you feel stressed out or under a lot of pressure? • Do you ever feel sad, hopeless, depressed, or anxious? • Do you feel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuff, or dip? • During the past 30 days, did you use chewing tobacco, snuff, or dip? • Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance suffer a way you ever taken any supplements to help you gain or lose weight or it. Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5–14) | improve your performance? |
|---|--|
| Height Weight | □ Male □ Female |
| BP / (/) Pulse | Vision R 20/ L 20/ Corrected Y N |
| Appearance | NORMAL ABNORMAL FINDINGS |
| Marfan stigmata (kyphoscoliosis, high-arched palate, pechus excavatum, arachno arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat Pupils equal Hearing Lymph nodes Hearing Lymph nodes Hearing Symbol of point of maximal impulse (PMI) Pulses Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only) Skin HSV, lesions suggestive of MRSA, tinea corporis Neurologic MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers High/high Knee e.g/ankle | odactyly, |
| oot/toes | |
| unctional | |
| Duck-walk, single leg hop marker file, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. marker file many file. | |
| Consider GU exam if in private setting. Having third party present is recommended. onsider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. I Cleared for all sports without restriction I Cleared for all sports without restriction with recommendations for further evaluation. Not cleared Pending further evaluation For any sports Reason | on or treatment for |
| commendations | |
| ave examined the above-named student and completed the preparticipation pi ticipate in the sport(s) as outlined above. A copy of the physical exam is on re- se after the athlete has been cleared for participation, a physician may rescind the the athlete (and parents/guardians). me of physician, advanced practice nurse (APN), physician assistant (PA) (printerss | physical evaluation. The athlete does not present apparent clinical contraindications to practice are cord in my office and can be made available to the school at the request of the parents. If condition the clearance until the problem is resolved and the potential consequences are completely explaine nutype) Date |
| gnature of physician, APN, PA | Phone |
| 2010 American Academy of Family Physicians American Academy of Bulliotics | rican College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic rmission is granted to reprint for noncommercial, educational purposes with acknowledgment. |



PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

| Name | Sex □ M □ F | Age Date of National |
|--------------------------|--|---|
| ☐ Cleared for all sports | s without restriction | Date of birth |
| ☐ Cleared for all sports | s without restriction with recommendations for further evaluation or treatment | for |
| □ Not cleared | | |
| ☐ Pending | further evaluation | |
| ☐ For any | | |
| | in sports | |
| Reason | | |
| Recommendations | | |
| | | |
| | | |
| | | |
| MERGENCY INFO | RMATION | |
| llergies | | |
| Warran Taranga - | | |
| | | |
| | | |
| | | |
| | | - |
| ther information | | |
| | | |
| | | |
| 7 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| nd can be made avail | bove-named student and completed the preparticipation physical ons to practice and participate in the sport(s) as outlined above. It is to the school at the request of the parents. If conditions aris cind the clearance until the problem is resolved and the potential s). | A copy of the physical exam is on record in my office |
| me of physician, advar | nced practice nurse (APN), physician assistant (PA) | Note |
| dress | | Phone Phone |
| nature of physician, AP | N, PA | r nore |
| mpleted Cardiac Asses | sment Professional Development Module | |
| | Signature | |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medicine, American Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

State of New Jersey Department of Education

HEALTH HISTORY UPDATE QUESTIONNAIRE

| nealth history update questionnaire completed and signed by the student's par- Student Date of Last Physical Examination Sport | Age | uian. | Grada |
|--|--------------------|-------------|--------|
| Date of Last Physical ExaminationSpor | t | | |
| If yes, describe in detail | Yes_ | No_ | |
| Sustained a concussion, been unconscious or lost memory from a blow to the h If yes, explain in detail | | | |
| Broken a bone or sprained/strained/dislocated any muscle or joints? If yes, describe in detail | Yes_ | No | |
| 4. Fainted or "blacked out?" | | | |
| If yes, was this during or immediately after exercise? | Yes | _ No | |
| 5. Experienced chest pains, shortness of breath or "racing heart?" If yes, explain | | | |
| mere been a recent history of fatigue and provided | | - | ****** |
| The state of the s | Yes | _ No | |
| If yes, explain in detail | | _ No | |
| Since the last physical examination, has there been a sudden death in the family of under age 50 had a heart attack or "heart trouble?" Started or stopped taking any over-the-counter or prescribed medications? If yes, name of medication(s) | r has any m Yes | ember of No | - |